



Product Name	GAOTek Hub Healthcare Gateway
Product SKU	GAOTek-HI-113
Product URL	https://gaotek.com/product/gaotek-hub-healthcare-gateway/

Contact us: sales@gaotek.com



Contents

1. CE Notice.....	3
2. Product Description.....	4
3. Preparation For Use.....	5
4. Product Specifications.....	6
5. Packing List.....	6

GAOTek Hub Healthcare Gateway



1. CE Notice

CE Products with the CE marking comply with the Radio Equipment Directive (2014/53/EU), the Electromagnetic Compatibility Directive (2014/30/EU), the Low Voltage Directive (2014/35/EU) - issued by the Commission of the European.

Compliance with these directives implies conformity to the following European Standards:

EN300328 V2.1.1 EN301489-1/-17 V2.1.1 EN62368-1:2014+A11:2017

EN55032:2015+AC:2016(ClassB); EN55035:2017

EN62311:2008

Please read the instruction manual carefully before using the product

2. Product Description



It is a mini Zigbee Gateway . It consists of a highly integrated Wi-Fi module, low power-consuming ZigBee module, and PCBA. It can be connected to the Smart Life app for device adding, reset, third-party control, and ZigBee group control, meeting smart home requirements

Red

Wi-Fi status indicator Blue

Zigbee status indicator

Switch/Reset key

Power jack



3. Preparation For Use

1. In the App Store or Google Play, search for “Smart Life” or scan the QR code on the manual to download and install the smart App.
2. Open the Wi-Fi of your phone, click on the “+” in the upper right corner, and select “ Gateway”;
3. The gateway to be added will automatically appear, and please follow the instructions in the App.





4. Product Specifications

Product name	ZigBee Gateway
Adapter output	5V_ 1A
Working temperature	-10°C-55°C
Working humidity	10%~90% RH (no condensation)
Wireless technology	2.4G Wi-Fi
	ZigBee
Dimensions	60X60X15mm
Net weight	33g

5. Packing List

- ZigBee Gateway x 1 Adapter x 1 (optional)
- Data cable x 1 User Manual x 1

Automatically turns off the air conditioner when the window is opened

Install the door sensor on the door and set the door sensor linkage infrared sensor to automatically turn off the air conditioner when the window is opened



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Attention that changes or modification not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This product has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This product generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this product does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

This equipment should be installed and operated with a minimum distance 20cm between the radiator and your body

ZigBee Gateway

Product instruction manual



Hefei Minco Heating Cable Co.,Ltd.


Huaihai Road, No.1188, Jingshang Trade City, Zone D, Building BD, Room 401. Xinzhan District, Hefei City, Anhui Province, China 230011

86-551-65876703 info@minco-heatingcable.com

www.minco-heatingcable.com

Quotation Sheet

Zigbee Gateway

Model	Specifications	Image	Package	Unit Price
Zigbee Gateway JMWZG1	Product name: Zigbee gateway Adapter out put: 5V 1A (not equipped) Working temperature: -10~55°C Wireless technology: 2.4G wifi, Zigbee Dimension: 60x60x15mm Net weight: 33g Package content: Zigbee gateway x 1 User manual x 1		Carton size: 43x33x26cm Qty per carton: 100 pcs Gr. Weight: 7kg	

Price term: FOB Shanghai